


ALG OUT ULTRA 3 IN 1

1. IDENTIFICATION

Product name : **ALG OUT ULTRA 3 IN 1**
Product code : **30-07065** **Other means of identification** : Not available.
Supplier : Sani-Marc Inc.
 42 rue de l'Artisan
 Victoriaville, Qc
 G6P 7E3
 1-819-758-1541
Manufacturer : Sani-Marc Inc.
 42 rue de l'Artisan
 Victoriaville, Qc
 G6P 7E3
 1-819-758-1541
Identified uses : Consumer products: Pool & Spa water treatment product
 This SDS is provided as information only. The product is not WHIMS regulated. The product is regulated under the PCP act and packaged as a consumer product. PCP 33543.
Uses advised against : Only use this product as directed. Read label before using.
Date of issue (YYYY-MM-DD) : 2019-11-19
In case of emergency : **Emergency phone: CANUTEC (613) 996-6666 (Collect calls accepted)**

2. HAZARDS IDENTIFICATION

Information in this section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.

Product Classification : ACUTE TOXICITY (oral) - Category 4
 EYE IRRITATION - Category 2A
Signal word : Warning **Hazard pictograms** : 
Hazard statements : Harmful if swallowed.
 Causes serious eye irritation.
Precautionary statements
General : Read label before use. Keep out of reach of children.
Prevention : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Specific protective equipment is suggested for this product. See section 8 for details.
Response : IF SWALLOWED: Rinse mouth. Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage : No specific measure needed. See section 7 for more information on handling and storage.
Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements : Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30%
Other hazards which do not result in classification : None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture : Mixture

<u>Name</u>	<u>CAS number</u>	<u>% (w/w)</u>
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	30 - 60
hexadecan-1-ol	36653-82-4	10 - 30
ethanol	64-17-5	5 - 10

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

Description of required first aid measures

Eye contact	In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get medical attention. Get medical attention if irritation persist.
Skin contact	Get medical attention if irritation occur.
Ingestion	Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Get medical attention if you feel unwell.
Inhalation	Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe. Maintain an open airway.

Most important symptoms/effects, acute and delayed

Eye contact	Adverse symptoms may include the following: pain or irritation watering redness
Skin contact	No specific symptoms under normal use conditions.
Ingestion	Adverse symptoms may include the following: stomach pains nausea or vomiting headache diarrhea
Inhalation	No specific symptoms under normal use conditions.
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
See toxicological information (Section 11)	

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	No specific fire or explosion hazard.
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special fire-fighting procedures	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.
Personal protection	Put on appropriate personal protective equipment (see Section 8).
Cleaning method	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.
Storage and Incompatibility	Store in accordance with local regulations. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Ingredient name	Exposure limits
Ethyl alcohol	CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 1000 ppm 8 hours. 8 hrs OEL: 1880 mg/m ³ 8 hours. CA Quebec Provincial (Canada, 1/2014). TWAEV: 1000 ppm 8 hours. TWAEV: 1880 mg/m ³ 8 hours. CA British Columbia Provincial (Canada, 6/2017). STEL: 1000 ppm 15 minutes. CA Ontario Provincial (Canada, 7/2015). STEL: 1000 ppm 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 1250 ppm 15 minutes. TWA: 1000 ppm 8 hours.

Appropriate engineering controls Good general ventilation should be sufficient to control worker exposure to airborne contaminants that could arise from the use if this product.

Individual protection measures

Eye/face protection	Continued or intense exposures might required to wear safety glasses. No specific protective equipment required under normal use conditions.
Hands and Body protection	No specific protective equipment required under normal use conditions. No special protective clothing is required.
Respiratory protection	It is suggested to wear dust-protection mask for prolonged or intense exposures.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid. [Waxy solid.]	pH	7 [Conc. (% w/w): 1%]	Flash point	[Product does not sustain combustion.]
Color	Green. [Light]	Relative density	Not available.	Melting point	Not available.
Odor	Characteristic. [Slight]	Viscosity	Not available.	Boiling point	Not available.
Odor threshold	Not available.	Vapor pressure	Not available.	Fire point	: Not available.
Solubility in water	: Not available.	Vapor density	: Not available.	Evaporation rate	: Not available.
Decomposition temperature	: Not available.	Auto-ignition temperature	: Not available.		
Partition coefficient: n-octanol/ water	: Not available.	Flammability (solid, gas)	: Not available.		
Lower and upper explosive (flammable) limits	: Not available.				

10. STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	The product is stable.
Incompatible materials	No specific data.
Conditions to avoid	No specific data.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Route of exposure	Routes of entry anticipated: Oral. Routes of entry not anticipated: Dermal, Inhalation.	
	<u>Potential acute health effects</u>	<u>Symptoms</u>
Eye contact	cause eye irritation	Adverse symptoms may include the following: pain or irritation watering redness
Skin contact	No known significant effects or critical hazards.	No specific symptoms under normal use conditions.
Ingestion	Harmful if swallowed.	Adverse symptoms may include the following: stomach pains nausea or vomiting headache diarrhea
Inhalation	No known significant effects or critical hazards.	No specific symptoms under normal use conditions.

Toxicity data

Product/ingredient name	Result	Species	Dose	Exposure
quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides hexadecan-1-ol	LD50 Oral	Rat	426 mg/kg	-
	LCLo Inhalation Vapor	Guinea pig	2220 mg/m ³	6 hours
	LD50 Dermal	Rabbit	2600 mg/kg	-
	LD50 Oral	Mouse	3200 mg/kg	-
	LD50 Oral	Rat	5 g/kg	-
Ethyl alcohol	LC50 Inhalation Vapor	Rat	124700 mg/m ³	4 hours
	LD50 Dermal	Rabbit	>20000 mg/kg	-
	LD50 Oral	Rat	7 g/kg	-

Information on toxicological effects

Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Sensitization	Not available.
Carcinogenicity	No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

Ecotoxicity data

Product/ingredient name	Result	Species	Exposure

quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides	Acute EC50 37 ppb Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 64 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ethyl alcohol	Chronic NOEC 4.15 ppb Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 32.2 ppb	Fish - Pimephales promelas	34 days
	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
Chronic NOEC 0.375 ul/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks	

Persistence and degradability : Unknown Bioaccumulative potential : Unknown Mobility in soil : Unknown Other adverse effects : Unknown

13. DISPOSAL CONSIDERATIONS

Disposal methods Dispose content and container in accordance with local, regional and national regulation in force.

14. TRANSPORT INFORMATION

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard
TDG Classification	Not regulated.	-	-	-	-
Additional information	See shipping documents for specific information on DOT, IMDG or IATA				

15. REGULATORY INFORMATION

Canadian lists

Canadian NPRI The following components are listed: Ammonia (total)

CEPA Toxic substances None of the components are listed.

Canada inventory All components are listed or exempted.

International lists

United States All components are listed or exempted.

16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)

Health Hazard	1
Fire Hazard	0
Reactivity	0
Personal Protection	A

Date of issue/Date of revision (YYYY-MM-DD) : 2019-11-19

Prepared by : Regulatory Affairs Department

Sani-Marc Inc.
42 rue de l'Artisan
Victoriaville, Qc
G6P 7E3
1-819-758-1541

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.