

# VERT2GO BIO FLOOR DEGREASER

1. IDENTIFICATION	
<b>Product name</b>	<b>: VERT2GO BIO FLOOR DEGREASER</b>
<b>Product code</b>	<b>: 05-12210</b>
<b>Other means of identification</b>	: Not available.
<b>Supplier</b>	: Wood Wyant A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3 1-819-758-1541
<b>Manufacturer</b>	: Wood Wyant A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3 1-819-758-1541
<b>Identified uses</b>	: Industrial applications: Floor cleaner.
<b>Uses advised against</b>	: Only use this product as directed. Read label before using.
<b>Date of issue (YYYY-MM-DD)</b>	: 2020-06-15
<b>In case of emergency : Emergency phone: CANUTEC (613) 996-6666 (Collect calls accepted)</b>	

2. HAZARDS IDENTIFICATION	
Information in this section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.	
<b>Product Classification</b>	: Not classified.
<b>Signal word</b>	: No signal word.
<b>Hazard statements</b>	: No known significant effects or critical hazards.
<u>Precautionary statements</u>	
<b>General</b>	: Read label before use. Keep out of reach of children.
<b>Prevention</b>	: No specific measure needed. See Section 8 for more information.
<b>Response</b>	: No special measure needed. See section 4 for more informations.
<b>Storage</b>	: No specific measure needed. See section 7 for more information on handling and storage.
<b>Disposal</b>	: No specific measure needed. See section 13 for waste disposal information.
<b>Supplemental label elements</b>	: Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 94% Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 94% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 94%
<b>Other hazards which do not result in classification</b>	: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS		
<b>Substance/mixture</b>	: Mixture	
<b>Name</b>	<b>CAS number</b>	<b>% (w/w)</b>
C10-C16) ALCOHOL ETHOXYLATE, SULFATED, SODIUM SALT	68585-34-2	1 - 5
Poly(oxy-1,2-ethanediyl), α-isodecyl-ω-hydroxy-	61827-42-7	1 - 5
ethanol	64-17-5	1 - 5
Occupational exposure limits, if available, are listed in Section 8.		

#### 4. FIRST AID MEASURES

##### Description of required first aid measures

<b>Eye contact</b>	In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get medical attention.
<b>Skin contact</b>	In case of irritation, rinse with water. Get medical attention if irritation persists.
<b>Ingestion</b>	Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
<b>Inhalation</b>	Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

##### Most important symptoms/effects, acute and delayed

<b>Eye contact</b>	No specific symptoms under normal use conditions.
<b>Skin contact</b>	No specific symptoms under normal use conditions.
<b>Ingestion</b>	No specific symptoms under normal use conditions.
<b>Inhalation</b>	No specific symptoms under normal use conditions.

**Notes to physician** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See toxicological information (Section 11)

#### 5. FIRE-FIGHTING MEASURES

##### Extinguishing media

<b>Suitable extinguishing media</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous thermal decomposition products</b>	Decomposition products may include the following materials: carbon dioxide carbon monoxide
<b>Special fire-fighting procedures</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.
<b>Personal protection</b>	Put on appropriate personal protective equipment (see Section 8).
<b>Cleaning method</b>	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.

#### 7. HANDLING AND STORAGE

<b>Handling</b>	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.
<b>Storage and Incompatibility</b>	Store in accordance with local regulations. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational exposure limits

Ingredient name	Exposure limits
Ethyl alcohol	<p>CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 1000 ppm 8 hours. 8 hrs OEL: 1880 mg/m<sup>3</sup> 8 hours.</p> <p>CA Quebec Provincial (Canada, 1/2014). TWAEV: 1000 ppm 8 hours. TWAEV: 1880 mg/m<sup>3</sup> 8 hours.</p> <p>CA British Columbia Provincial (Canada, 6/2017). STEL: 1000 ppm 15 minutes.</p> <p>CA Ontario Provincial (Canada, 7/2015). STEL: 1000 ppm 15 minutes.</p> <p>CA Saskatchewan Provincial (Canada, 7/2013). STEL: 1250 ppm 15 minutes. TWA: 1000 ppm 8 hours.</p>

**Appropriate engineering controls** Good general ventilation should be sufficient to control worker exposure to airborne contaminants that could arise from the use of this product.

### Individual protection measures

**Eye/face protection** Continued or intense exposures might required to wear safety glasses. No specific protective equipment required under normal use conditions.

**Hands and Body protection** No specific protective equipment required under normal use conditions.  
No special protective clothing is required.

**Respiratory protection** No specific protective equipment required under normal use conditions.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	Liquid.	<b>pH</b>	8.5	<b>Flash point</b>	[Product does not sustain combustion.]
<b>Color</b>	Blue.	<b>Relative density</b>	Not available.	<b>Melting point</b>	Not available.
<b>Odor</b>	Characteristic.	<b>Viscosity</b>	Not available.	<b>Boiling point</b>	Not available.
<b>Odor threshold</b>	Not available.	<b>Vapor pressure</b>	3.1 kPa (23 mm Hg) [room temperature]	<b>Fire point</b>	: Not available.
<b>Solubility in water</b>	: Not available.	<b>Vapor density</b>	: Not available.	<b>Evaporation rate</b>	: Not available.
<b>Decomposition temperature</b>	: Not available.	<b>Auto-ignition temperature</b>	: Not available.		
<b>Partition coefficient: n-octanol/water</b>	: Not available.	<b>Flammability (solid, gas)</b>	: Not available.		
<b>Lower and upper explosive (flammable) limits</b>	: Not available.				

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	The product is stable.
<b>Incompatible materials</b>	No specific data.
<b>Conditions to avoid</b>	No specific data.
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. TOXICOLOGICAL INFORMATION

<b>Route of exposure</b>	Not available.	
	<u>Potential acute health effects</u>	<u>Symptoms</u>
<b>Eye contact</b>	No known significant effects or critical hazards.	No specific symptoms under normal use conditions.
<b>Skin contact</b>	No known significant effects or critical hazards.	No specific symptoms under normal use conditions.
<b>Ingestion</b>	No known significant effects or critical hazards.	No specific symptoms under normal use conditions.
<b>Inhalation</b>	No known significant effects or critical hazards.	No specific symptoms under normal use conditions.

### Toxicity data

Product/ingredient name	Result	Species	Dose	Exposure
VERT2GO BIO FLOOR DEGREASER	LC50 Inhalation Vapor	Rat	124700 mg/m <sup>3</sup>	4 hours
	LD50 Dermal	Rabbit	>20000 mg/kg	-
	LD50 Oral	Rat	7 g/kg	-
	LC50 Inhalation Vapor	Rat	20000 mg/l	4 hours
	LD50 Oral	Rat	7060 mg/kg	-

### Information on toxicological effects

<b>Mutagenicity</b>	No known significant effects or critical hazards.
<b>Teratogenicity</b>	No known significant effects or critical hazards.
<b>Developmental effects</b>	No known significant effects or critical hazards.
<b>Fertility effects</b>	No known significant effects or critical hazards.
<b>Sensitization</b>	Not available.
<b>Carcinogenicity</b>	No known significant effects or critical hazards.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity data

Product/ingredient name	Result	Species	Exposure
Ethyl alcohol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 µl/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC 0.375 µl/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks

**Persistence and degradability** : Unknown    **Bioaccumulative potential** : Unknown    **Mobility in soil** : Unknown    **Other adverse effects** : Unknown

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods**                      Dispose content and container in accordance with local, regional and national regulation in force.

## 14. TRANSPORT INFORMATION

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard
<b>TDG Classification</b>	Not regulated.	-	-	-	-

**Additional information**                      See shipping documents for specific information on DOT, IMDG or IATA

## 15. REGULATORY INFORMATION

### Canadian lists

Canadian NPRI The following components are listed: Ethanol

CEPA Toxic substances None of the components are listed.

Canada inventory Not determined.

### International lists

United States Not determined.

## 16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)

Health Hazard	0
Fire Hazard	0
Reactivity	0
Personal Protection	

Date of issue/Date of revision (YYYY-MM-DD) : 2020-06-15

Prepared by : Regulatory Affairs Department

Wood Wyant  
A division of Sani-Marc Group  
42, rue de l'Artisan  
Victoriaville, Québec  
G6P 7E3  
1-819-758-1541

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.