

BOL-GENIE

		1.1	DENTIFICATION		
Product name	:	BOL-GENIE			
Product code	:	07-12505	Other means of identification	:	Not available.
Supplier	:	Wood Wyant Canada Inc. A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3 1-819-758-1541	Manufacturer	:	Wood Wyant Canada Inc. A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3 1-819-758-1541
Identified uses	:	Industrial applications: Cleaning solutions.	Uses advised against	:	
Date of issue (YYYY-N	M-D	D) : 2022-04-13			using.
in (cas	e of emergency : Emergency phor	ne: CANUTEC (613) 996-66	66	(Collect calls accepted)

		2. HAZARDS IDENTIFICATION
Information in th	nis s	ection only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.
Product Classification	:	SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 Health Hazards Not Otherwise Classified - Category 1
Signal word	:	Danger Hazard pictograms :
Hazard statements	:	Causes severe skin burns and eye damage. Causes severe respiratory tract burns. Causes digestive tract burns.
Precautionary statemer	<u>nts</u>	
Prevention	:	Wear protective gloves: < 1 hour (breakthrough time): Chemical-resistant, impervious gloves . Wear protective clothing. Wear eye or face protection: Recommended: Safety Glasses. Wash thoroughly after handling.
Response	:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label eler	mer	ts : No additional information.
Other hazards which do classification	o no	t result in : None known.



Substance/mixture : Mixture Name CAS number % (w/w) Hydrochloric acid 7647-01-0 5 - 10 Amines, tallow alkyl, ethoxylated 61791-26-2 1 - 5 Occupational exposure limits, if available, are listed in Section 8. 5 1 - 5

	4. FIRST AID MEASURES
Description of requi	red first aid measures
Eye contact	In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get medical attention. Chemical burns must be treated promptly by a physician. Get medical attention if blistering occurs or redness persists.
Skin contact	Rinse with water. Wash contaminated skin with soap and water. Remove contaminated clothing and wash it before reuse. Chemical burns must be treated promptly by a physician. Get medical attention if blistering occurs or redness persists.
Ingestion	Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Chemical burns must be treated promptly by a physician. Get medical attention if symptoms occur.
Inhalation	Move victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Get medical attention if adverse health effects persist or are severe. Maintain an open airway.
<u>Most important sym</u>	ptoms/effects, acute and delayed
Eye contact	Adverse symptoms may include the following: pain watering redness
Skin contact	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	Adverse symptoms may include the following: stomach pains
Inhalation	Adverse symptoms may include the following: respiratory tract irritation coughing
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
See toxicological int	formation (Section 11)

5. FIRE-FIGHTING MEASURES

Extinguishing media	
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition	products Decomposition products may include the following materials: halogenated compounds
Special fire-fighting procedures	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training.
Special protective equipment for t fighters	ire- Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.
Personal protection	Put on appropriate personal protective equipment (see Section 8).
Cleaning method	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.
Storage and Incompatibility	Store in accordance with local regulations. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containement to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).

	8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Occupational exposure limits	
Ingredient name	Exposure limits
Hydrochloric acid	CA Alberta Provincial (Canada, 6/2018). C: 3 mg/m ³ C: 2 ppm CA British Columbia Provincial (Canada, 1/2020). C: 2 ppm CA Ontario Provincial (Canada, 6/2019). Ceiling Limit: 2 ppm CA Quebec Provincial (Canada, 7/2019). STEV: 5 ppm 15 minutes. STEV: 7.5 mg/m ³ 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). CEIL: 2 ppm
Appropriate engineering controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection measures	
Eye/face protection	Continued or severe exposures might required to wear a face shield or chemical splash goggles. It is minimally suggested to wear safety glasses while using or handling this product.
Hands and Body protection	It is suggested to wear chemical-reisitant gloves while using or handling this product. No special protective clothing is required.
Respiratory protection	No specific protective equipment required under normal use conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid. [Limpid liquid]	рН	0.5	Flash point	[Product does not sustain combustion.]
Color	Green.	Relative density	1.05	Melting point	Not available.
Odor	Lemon-like. [Slight]	Viscosity	Not available.	Boiling point	Not available.
Odor threshold	Not available.	Vapor pressure	Not available.	Fire point :	Not available.
Solubility in water :	Not available.	Vapor density :	Not available.	Evaporation rate :	Not available.
Decomposition tempera	ture : Not available	2.	Auto-ignition temperature	: Not available.	
Partition coefficient: n-	octanol/ : Not applicab	le.	Flammability (solid, gas)	: Not available.	
Lower and upper explosiv	ve (flammable) limits	: Not available.			



10. STABILITY AND REACTIVITY

Reactivity	No specific	test data related to reactivity available for this product or its ingredients.
Chemical stability	The produc	t is stable.
Incompatible materials	Reactive or	incompatible with alkali.
Conditions to avoid	No specific	data.
Possibility of hazardous reactions		May cause an exothermic reaction in presence of alkali.
Hazardous decomposition products		Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Route of exposure		nticipated: Dermal ot anticipated: Ora					
	Potential acute	<u>health effects</u>		Symptoms			
Eye contact	р У		Adverse symptoms pain watering redness	may include the following:			
1		Adverse symptoms may include the following: pain or irritation redness blistering may occur					
			igestive tract. Causes burns. o mouth, throat and stomach.		Adverse symptoms may include the following: stomach pains		
Inhalation Inhalation of vaj respiratory tract		f vapors or mist may cause tract irritation.		Adverse symptoms may include the following: respiratory tract irritation coughing			
Toxicity data							
Product/ingredient nam	ne	Result	Species	Dose	Exposure		
Hydrochloric acid Amines, tallow alkyl, ethoxylated		LC50 Inhalation Vapor LC50 Inhalation Vapor LD50 Dermal LD50 Oral LD50 Dermal LD50 Dermal LD50 Oral LD50 Oral	Rat Rat Rabbit Rat Rabbit Rat Rat Female	3214 ppm 1562 ppm 5010 mg/kg 700 mg/kg 1261 mg/kg >10 g/kg 500 mg/kg 1315.7 mg/kg	1 hours 4 hours - - - - - -		
Information on toxicolo							
Mutagenicity	No knowi	n significant effect	s or critical ha	zards.			
Teratogenicity	No knowi	n significant effect	s or critical ha	zards.			
Developmental effects	No knowi	n significant effect	s or critical ha	zards.			
Fertility effects	No knowi	n significant effect	s or critical ha	zards.			
Sensitization Not available.							
Carcinogenicity No known significant effects or critical haza			or critical haza	ards.			

12. ECOLOGICAL INFORMATION

Ecotoxicity data					
Product/ingredient name	Result	Species	Exposure		



Hydrochloric acid	Acute LC50 240000 µg/l Marine water	Crustaceans - Carcinus maenas -	48 hours
		Adult	
	Acute LC50 178 mg/l Fresh water	Fish	2 hours
	Acute LC50 282 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Amines, tallow alkyl, ethoxylated	Acute LC50 2.6 µg/l Fresh water	Crustaceans - Thamnocephalus	48 hours
		platyurus - Nauplii	
	Acute LC50 2350 µg/l Fresh water	Daphnia - Daphnia pulex	48 hours
	Acute LC50 650 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

degradability

13. DISPOSAL CONSIDERATIONS

Dispose content and container in accordance with local, regional and national regulation in force.

		14. TRANSPORT INFORMATION				
	UN number	UN proper shipping name	Transport hazard class (es)			
TDG Classification	UN1789	UN1789 HYDROCHLORIC ACID (Hydrochloric acid)	8	Ш	a statements and a stat	

15. REGULATORY INFORMATION

<u>Canadian lists</u>	
Canadian NPRI	The following components are listed: hydrochloric acid
CEPA Toxic substances	The following components are listed: Hydrochloric acid
Canada inventory	All components are listed or exempted.

International lists

United States Not determined.

16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)			Health Hazard	2
			Fire Hazard	0
			Reactivity	0
			Personal Protection	В
Date of issue/D DD)	ate	of revision (YYYY-MM- : 2022-0	14-13	
Prepared by	:	Regulatory Affairs Department		
		Wood Wyant Canada Inc.		
	A division of Sani-Marc Group 42, rue de l'Artisan			
		Victoriaville, Québec		
		G6P 7E3 1-819-758-1541		
		1-619-758-1541		

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

