

ZOOM

1. IDENTIFICATION

Product name : ZOOM

Product code : 11-12195 Other means of identification : Not available.

Supplier : Wood Wyant Manufacturer : Wood Wyant

A división of Sani-Marc Group
42, rue de l'Artisan
Victoriaville, Québec
G6P 7E3
1-819-758-1541

A división of Sani-Marc Group
42, rue de l'Artisan
Victoriaville, Québec
G6P 7E3
1-819-758-1541

Identified uses : Industrial applications: Cleaning solutions. Uses advised against : This product is formulated to be diluted. Do not use

Date of issue (YYYY-MM-DD) : 2020-06-12 undiluted. Read product label before using.

In case of emergency : Emergency phone: CANUTEC (613) 996-6666 (Collect calls accepted)

2. HAZARDS IDENTIFICATION

Information in this section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.

Product Classification : SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1

Health Hazards Not Otherwise Classified - Category 1

Signal word : Danger Hazard pictograms :

Hazard statements : Causes digestive tract burns.

Causes severe skin burns and eye damage.

Precautionary statements

General : Corrosive material. Handle with care. Read label before use. Keep out of reach of children.

Prevention : Wash hands thoroughly after handling. Specific protective equipment is suggested for this product. See section 8 for details. Do not

breathe dust or mist.

Response : IF INHALED: Move person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF

ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. In any case of exposure, get medical

attention if symptoms appear or are severe.

Storage : Store in an appropriate location.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements : Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 79.9%

Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 79.9% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 80.9%

Other hazards which do not result in

classification

: None known.



ZOOM Page: 1/6

3. COMPOSITION/INFORMATION ON INGREDIENTS Substance/mixture : Mixture CAS number Name % (w/w) Alcohols, C12-15, ethoxylated 68131-39-5 1 - 5 disodium metasilicate 6834-92-0 1 - 5 Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, 61791-10-4 1 - 5 ethoxylated, chlorides Tetrasodium salt of ethylene-diaminetetraacetic acid 64-02-8 1 - 5 Hydroxyethanediphosphonic acid 2809-21-4 1 - 5 1310-73-2 sodium hydroxide 1 - 5

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

Description of required first aid measures

Eye contact In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get

medical attention. Chemical burns must be treated promptly by a physician. Get medical attention if blistering occurs or redness persists.

Skin contact Rinse with water. Remove contaminated clothing and wash it before reuse. Chemical burns must be treated promptly by a physician. Get

medical attention if blistering occurs or redness persists.

Ingestion Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Chemical burns must be treated promptly

by a physician. Get medical attention if symptoms occur.

Inhalation Move victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer

should wear an appropriate mask or self-contained breathing apparatus. Get medical attention if adverse health effects persist or are

severe. Maintain an open airway.

Most important symptoms/effects, acute and delayed

Eye contact Adverse symptoms may include the following:

pain watering redness

Skin contact Adverse symptoms may include the following:

pain or irritation redness blistering may occur

Ingestion Adverse symptoms may include the following:

stomach pains

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See toxicological information (Section 11)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Unsuitable extinguishing media None known.

Specific hazards arising from the In a fire or if heated, a pressure increase will occur and the container may burst.

chemical

Hazardous thermal decomposition products Decomposition products may include the following materials:

metal oxide/oxides

Special fire-fighting procedures Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken

involving any personal risk or without suitable training.

Special protective equipment for fireFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a

fighters full face-piece operated in positive pressure mode.



ZOOM Page: 2/6

6. ACCIDENTAL RELEASE MEASURES					
Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.				
Personal protection	Put on appropriate personal protective equipment (see Section 8).				
Cleaning method	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.				

	7. HANDLING AND STORAGE
Handling	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.
Storage and Incompatibility	Store in accordance with local regulations. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Occupational exposure limits				
Ingredient name		Exposure limits		
Tetrasodium salt of ethylene-diamine sodium hydroxide	tetraacetic acid	ACGIH TLV (United States). Notes: Sodium hydroxide CEIL: 2 mg/m³ CA Alberta Provincial (Canada, 4/2009). Skin sensitizer. C: 2 mg/m³ CA British Columbia Provincial (Canada, 6/2017). C: 2 mg/m³ CA Ontario Provincial (Canada, 7/2015). C: 2 mg/m³ CA Quebec Provincial (Canada, 1/2014). STEV: 2 mg/m³ 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). CEIL: 2 mg/m³		
Appropriate engineering controls		generate dust, fumes, gas, vapor or mist, use process enclosures, local exhau orker exposure to airborne contaminants below any recommended or statutor		
Individual protection measures				
Eye/face protection	Continued or severe exposures might required to wear a face shield or chemical splash goggles. It is minimally suggested to wear safety glasses while using or handling this product.			
Hands and Body protection	It is suggested to wear chemical-reisitant gloves while using or handling this product. No special protective clothing is required.			
Respiratory protection	No specific protect	tive equipment required under normal use conditions.		

9. PHYSICAL AND CHEMICAL PROPERTIES					
Physical state	Liquid. [Opaque]	рН	12.9	Flash point	[Product does not sustain combustion.]
Color	Blue. [Dark]	Relative density	1.08	Melting point	Not available.
Odor	Sweetish.	Viscosity	Not available.	Boiling point	Not available.
Odor threshold	Not available.	Vapor pressure	Not available.	Fire point :	Not available.
Solubility in water :	Not available.	Vapor density :	Not available.	Evaporation rate :	Not available.
Decomposition tempera	Decomposition temperature : Not available. Auto-ignition temperature : Not available.				
Partition coefficient: n-octanol/ : Not available. Flammability (solid, gas) : Not available. water					
Lower and upper explosiv	Lower and upper explosive (flammable) limits : Not available.				



ZOOM Page: 3/6

10. STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Incompatible materials Reactive or incompatible with acids.

Conditions to avoid No specific data.

Possibility of hazardous reactions May cause an exothermic reaction in presence of acids.

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Routes of entry anticipated: Dermal. Route of exposure

Routes of entry not anticipated: Oral, Inhalation.

Potential acute health effects **Symptoms**

Adverse symptoms may include the following: Eye contact May cause eye burn

pain . watering redness

Skin contact May cause skin burns Adverse symptoms may include the following:

pain or irritation redness blistering may occur

Ingestion Corrosive to the digestive tract. Causes burns.

Adverse symptoms may include the following: May cause burns to mouth, throat and stomach. stomach pains

Inhalation Inhalation of vapors or mist may cause

Adverse symptoms may include the following: respiratory tract irritation. respiratory tract irritation

coughing

Toxicity data

Product/ingredient name	Result	Species	Dose	Exposure
Alcohols, C12-15, ethoxylated	LD50 Oral	Rat	2 g/kg	-
disodium metasilicate	LD50 Oral	Rat	1153 mg/kg	-
Quaternary ammonium compounds, coco	LD50 Oral	Rat	580 mg/kg	-
alkylbis(hydroxyethyl)methyl,				
ethoxylated, chlorides				
Tetrasodium salt of ethylene-	LD50 Dermal	Rabbit	>5000 mg/kg	-
diaminetetraacetic acid				
Hydroxyethanediphosphonic acid	LD50 Dermal	Rabbit	7940 mg/kg	-
	LD50 Oral	Rat	2000 mg/kg	-

Information on toxicological effects

Mutagenicity No known significant effects or critical hazards. Teratogenicity No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. Fertility effects No known significant effects or critical hazards.

Sensitization Not available.

Carcinogenicity No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION Ecotoxicity data Result Product/ingredient name **Species** Exposure



ZOOM Page: 4/6

Alcohols, C12-15, ethoxylated	Acute EC50 0.7 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 0.39 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 302 μg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 1400 μg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Chronic NOEC 83 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days
disodium metasilicate	Acute EC50 33.53 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 2320 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides	Acute EC50 1 mg/l	Algae	96 hours
,,	Acute LC50 10 mg/l	Fish	96 hours
	Acute LC50 1.2 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
Hydroxyethanediphosphonic acid	Acute LC50 527 mg/l	Daphnia - Daphnia magna	48 hours
• • •	Acute LC50 368 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
sodium hydroxide	Acute EC50 40.38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 125 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

Persistence and degradability : Unknown Bioaccumulative potential : Unknown Mobility in soil : Unknown Other adverse effects : Unknown

13. DISPOSAL CONSIDERATIONS

Disposal methods Dispose content and container in accordance with local, regional and national regulation in force.

14. TRANSPORT INFORMATION					
	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard
TDG Classification	UN1760	Corrosive liquid, n.o.s. (disodium metasilicate, mixture)	8	Ш	
Product classified as per	the following section	ns of the Transportation of Dangerous	Goods Regulations: 2.40-2.42	2 (Class 8).	
Additional information	See shipping docum	nents for specific information on DOT,	IMDG or IATA		

15. REGULATORY INFORMATION				
Canadian lists				
Canadian NPRI	The following components are listed: Nitrilotriacetic acid			
CEPA Toxic substances	None of the components are listed.			
Canada inventory	Not determined.			
International lists				
United States Not determined.				

16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)



Date of issue/Date of revision (YYYY-MM-DD) : 2020-06-12

Prepared by : Regulatory Affairs Department



ZOOM Page: 5/6 Wood Wyant A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3 1-819-758-1541

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



ZOOM Page: 6/6