

# SAFETY DATA SHEET

FRYSOL

## Section 1. Identification

**Product identifier** : FRY SOL  
**Product code** : 17-08926, 1001053  
**Product type** : Powder.

### Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

Industrial applications: Industrial cleaners.

#### Uses advised against

Only use this product as directed. Read label before using.

**Supplier's details** : Alpine Specialty Chemical Ltd.  
9 City View drive,  
Etobicoke, Ontario  
M9W 5A5

**Emergency telephone number (with hours of operation)** : 1-800-361-7691 (8am - 5pm Monday to Thursday) (8am - 4pm Friday)

## Section 2. Hazard identification

**Classification of the substance or mixture** : COMBUSTIBLE DUSTS - Category 1  
SKIN CORROSION - Category 1  
SERIOUS EYE DAMAGE - Category 1

### GHS label elements

#### Hazard pictograms



**Signal word** : Danger

**Hazard statements** : H314 - Causes severe skin burns and eye damage.  
May form combustible dust concentrations in air.

### Precautionary statements

**Prevention** : P260 - Do not breathe dust or mist.  
P264 - Wash thoroughly after handling.  
P280 - Wear protective gloves: Chemical-resistant, impervious gloves . Wear protective clothing. Wear eye or face protection: Recommended: Safety Glasses.

**Response** : P301 + P310, P330, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353, P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor.  
P304 + P340, P310 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.  
P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.  
P363 - Wash contaminated clothing before reuse.

## Section 2. Hazard identification

|                                         |                                                                                                                                                                                                |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Storage</b>                          | : P405 - Store locked up or keep under supervision.                                                                                                                                            |
| <b>Disposal</b>                         | : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.                                                                     |
| <b>Supplemental label elements</b>      | :                                                                                                                                                                                              |
| <b>Hazards not otherwise classified</b> | : May form explosible dust-air mixture if dispersed. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. |

## Section 3. Composition/information on ingredients

|                                      |                  |
|--------------------------------------|------------------|
| <b>Substance/mixture</b>             | : Mixture        |
| <b>Other means of identification</b> | : Not available. |

| <b>Ingredient name</b> | <b>% (w/w)</b> | <b>CAS number</b> |
|------------------------|----------------|-------------------|
| disodium metasilicate  | ≥30 - ≤60      | CAS: 6834-92-0    |
| sodium carbonate       | ≥10 - ≤30      | CAS: 497-19-8     |

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-aid measures

### Description of necessary first aid measures

|                     |                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occur. Chemical burns must be treated promptly by a physician. Get medical attention if blistering occurs or redness persists.                                                                                       |
| <b>Inhalation</b>   | : Move victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Get medical attention if adverse health effects persist or are severe. Maintain an open airway.                                                                           |
| <b>Skin contact</b> | : Rinse with water. Flush contaminated skin with plenty of water. Remove contaminated clothing and wash it before reuse. Wash clothing before reuse. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Chemical burns must be treated promptly by a physician. Clean shoes thoroughly before reuse. Get medical attention if blistering occurs or redness persists. |
| <b>Ingestion</b>    | : Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Chemical burns must be treated promptly by a physician. Get medical attention if symptoms occur.                                                                                                                                                                                                   |

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

|                     |                                                                                                                                                                                                               |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. May cause eye burn                                                                     |
| <b>Inhalation</b>   | : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Inhalation of vapors or mist may cause respiratory tract irritation. |
| <b>Skin contact</b> | : May cause skin burns                                                                                                                                                                                        |
| <b>Ingestion</b>    | : May cause burns to mouth, throat and stomach.                                                                                                                                                               |

#### Over-exposure signs/symptoms

## Section 4. First-aid measures

- Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Skin contact** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur
- Ingestion** : Adverse symptoms may include the following:  
stomach pains

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action should be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing them, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

- Suitable extinguishing media** : Use dry chemical powder. Use flooding quantities of water.
- Unsuitable extinguishing media** : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.

- Specific hazards arising from the chemical** : May form explosible dust-air mixture if dispersed.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action should be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

## Section 6. Accidental release measures

- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Eye/face protection** : If operating conditions cause high dust concentrations to be produced, use dust goggles. Continued or severe exposures might require to wear a face shield or chemical splash goggles. It is minimally suggested to wear safety glasses while using or handling this product.
- Hand protection** : It is suggested to wear chemical-resistant gloves while using or handling this product.
- Body protection** : No special protective clothing is required.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : It is suggested to wear dust-protection mask for prolonged or intense exposures.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 7. Handling and storage

Reactive or incompatible with the following materials:  
oxidizing materials

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None.

#### Biological exposure indices

No exposure indices known.

#### **Appropriate engineering controls**

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### **Environmental exposure controls**

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

#### **Eye/face protection**

: If operating conditions cause high dust concentrations to be produced, use dust goggles. Continued or severe exposures might require to wear a face shield or chemical splash goggles. It is minimally suggested to wear safety glasses while using or handling this product.

#### Skin protection

##### **Hand protection**

: It is suggested to wear chemical-resistant gloves while using or handling this product.

##### **Body protection**

: No special protective clothing is required.

##### **Other skin protection**

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Respiratory protection**

: It is suggested to wear dust-protection mask for prolonged or intense exposures.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

#### **Physical state**

: Solid. [Powder.]

#### **Color**

: White.

#### **Odor**

: Odorless.

#### **Odor threshold**

: Not available.

#### **pH**

: Not available.

#### **Melting point/freezing point**

: Not available.

#### **Boiling point or initial boiling point and boiling range**

: Not available.

#### **Flash point**

: Not applicable.

## Section 9. Physical and chemical properties and safety characteristics

|                                                    |                                                                                                                                          |
|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Flammability                                       | : Not available.                                                                                                                         |
| Lower and upper explosion limit/flammability limit | : Not applicable.                                                                                                                        |
| Vapor pressure                                     | : Not available.                                                                                                                         |
| Relative vapor density                             | : Not applicable.                                                                                                                        |
| Relative density                                   | : Not available.                                                                                                                         |
| Solubility in water                                | : Not available.                                                                                                                         |
| Partition coefficient: n-octanol/water             | : Not applicable.                                                                                                                        |
| Auto-ignition temperature                          | : Not applicable.                                                                                                                        |
| Decomposition temperature                          | : Not available.                                                                                                                         |
| Viscosity                                          | : Dynamic (room temperature): Not available.<br>Kinematic (room temperature): Not available.<br>Kinematic (40°C (104°F)): Not available. |

### Particle characteristics

|                      |                  |
|----------------------|------------------|
| Median particle size | : Not available. |
|----------------------|------------------|

## Section 10. Stability and reactivity

|                                    |                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No specific test data related to reactivity available for this product or its ingredients.                                                                                                                                                                                                                                                              |
| Chemical stability                 | : The product is stable.                                                                                                                                                                                                                                                                                                                                  |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur.                                                                                                                                                                                                                                                                         |
| Conditions to avoid                | : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation. |
| Incompatible materials             | : Reactive or incompatible with the following materials:<br>oxidizing materials                                                                                                                                                                                                                                                                           |
| Hazardous decomposition products   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced.                                                                                                                                                                                                                                                    |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name    | Result    | Species | Dose       | Exposure |
|----------------------------|-----------|---------|------------|----------|
| Sodium metasilicate        | LD50 Oral | Rat     | 1153 mg/kg | -        |
| Sodium carbonate anhydrous | LD50 Oral | Rat     | 4090 mg/kg | -        |

#### Irritation/Corrosion

## Section 11. Toxicological information

| Product/ingredient name                                               | Result                   | Species    | Score | Exposure           | Observation |
|-----------------------------------------------------------------------|--------------------------|------------|-------|--------------------|-------------|
| Sodium metasilicate<br><br><br><br><br><br>Sodium carbonate anhydrous | Skin - Moderate irritant | Guinea pig | -     | 24 hours 250 mg    | -           |
|                                                                       | Skin - Severe irritant   | Human      | -     | 24 hours 250 mg    | -           |
|                                                                       | Skin - Severe irritant   | Rabbit     | -     | 24 hours 250 mg    | -           |
|                                                                       | Eyes - Mild irritant     | Rabbit     | -     | 0.5 minutes 100 mg | -           |
|                                                                       | Eyes - Moderate irritant | Rabbit     | -     | 24 hours 100 mg    | -           |
|                                                                       | Eyes - Severe irritant   | Rabbit     | -     | 50 mg              | -           |
|                                                                       | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500 mg    | -           |
|                                                                       |                          |            |       |                    |             |
|                                                                       |                          |            |       |                    |             |

### Respiratory or skin sensitization

Not available.

### Mutagenicity

Not available.

### Carcinogenicity

Not available.

### Reproductive toxicity

Not available.

### Teratogenicity

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

### Potential acute health effects

- Eye contact** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. May cause eye burn
- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Inhalation of vapors or mist may cause respiratory tract irritation.
- Skin contact** : May cause skin burns
- Ingestion** : May cause burns to mouth, throat and stomach.

### Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing

## Section 11. Toxicological information

- Skin contact** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur
- Ingestion** : Adverse symptoms may include the following:  
stomach pains

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.

- General** : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

| Product/ingredient name    | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|----------------------------|--------------|----------------|--------------------------|----------------------------|-------------------------------------|
| FRYSOL                     | 2309.0       | 36567.3        | N/A                      | N/A                        | N/A                                 |
| Sodium metasilicate        | 1153         | N/A            | N/A                      | N/A                        | N/A                                 |
| Sodium carbonate anhydrous | 4090         | N/A            | N/A                      | N/A                        | N/A                                 |

## Section 12. Ecological information

### Toxicity

| Product/ingredient name    | Result                             | Species                                           | Exposure |
|----------------------------|------------------------------------|---------------------------------------------------|----------|
| Sodium metasilicate        | Acute EC50 33.53 mg/l Fresh water  | Crustaceans - <i>Ceriodaphnia dubia</i> - Neonate | 48 hours |
| Sodium carbonate anhydrous | Acute LC50 2320 ppm Fresh water    | Fish - <i>Gambusia affinis</i> - Adult            | 96 hours |
|                            | Acute EC50 242000 µg/l Fresh water | Algae - <i>Navicula seminulum</i>                 | 96 hours |
|                            | Acute LC50 176000 µg/l Fresh water | Crustaceans - <i>Amphipoda</i>                    | 48 hours |
|                            | Acute LC50 265000 µg/l Fresh water | Daphnia - <i>Daphnia magna</i>                    | 48 hours |
|                            | Acute LC50 300000 µg/l Fresh water | Fish - <i>Lepomis macrochirus</i>                 | 96 hours |

### Persistence and degradability

Not available.

### Bioaccumulative potential

Not available.

## Section 12. Ecological information

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

|                                    | <b>TDG Classification</b>                                                                |
|------------------------------------|------------------------------------------------------------------------------------------|
| <b>UN number</b>                   | UN3253                                                                                   |
| <b>UN proper shipping name</b>     | UN3253 DISODIUM TRIOXOSILICATE                                                           |
| <b>Transport hazard class (es)</b> | 8<br> |
| <b>Packing group</b>               | III                                                                                      |
| <b>Environmental hazards</b>       | No.                                                                                      |

### Additional information

**TDG Classification** : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.40-2.42 (Class 8).

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### Canadian lists

**Canadian NPRI** : None of the components are listed.

**CEPA Toxic substances** : None of the components are listed.

### Montreal Protocol

Not listed.

### Inventory list

**Canada** : Not determined.

**United States** : Not determined.

## Section 16. Other information

### History

**Date of printing** : 2025-02-20

**Date of issue/Date of revision** : 2025-02-20

**Date of previous issue** : No previous validation

**Version** : 0.01

**Key to abbreviations** :

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- HPR = Hazardous Products Regulations
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- N/A = Not available
- SGG = Segregation Group
- UN = United Nations

### Procedure used to derive the classification

| Classification                  | Justification         |
|---------------------------------|-----------------------|
| COMBUSTIBLE DUSTS - Category 1  | On basis of test data |
| SKIN CORROSION - Category 1     | Calculation method    |
| SERIOUS EYE DAMAGE - Category 1 | Calculation method    |

**References** : Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.